



## ===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT (Deg F): 1                      METHOD USED: TCC  
FLAMMABLE LIMITS IN AIR BY % VOLUME- LOWER: .9 UPPER: 12.8

EXTINGUISHING MEDIA: FOAM, CO2, DRY CHEMICAL

**SPECIAL FIREFIGHTING PROCEDURES**

Water may be used to cool closed containers to prevent pressure build-up. Wear self-contained breathing apparatus to avoid inhalation of smoke and fumes.

**UNUSUAL FIRE AND EXPLOSION HAZARDS**

Fire exposed containers may explode due to pressure build-up.

## ===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE

**CONDITIONS TO AVOID**

Heat and other sources of ignition

**INCOMPATIBILITY (MATERIALS TO AVOID)**

Strong oxidizing agents

**HAZARDOUS DECOMPOSITION OR BYPRODUCTS**

Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

## ===== SECTION VI - HEALTH HAZARD DATA =====

**INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

Inhalation: May cause nasal and respiratory irritation.

**SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

Skin and eye contact: May cause irritation and discomfort to both.

**SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

Skin absorption: May cause irritation.

**INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

Ingestion: May be harmful if swallowed in large quantities. Ingestion: May cause respiratory irritation, nausea and vomiting.

**HEALTH HAZARDS (ACUTE AND CHRONIC)**

Acute: May cause eye, nose and skin irritation, headache, nausea and vomiting. Chronic: Prolonged and repeated contact may lead to central nervous system depression, pulmonary edema, liver and kidney damage.

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: Yes OSHA REGULATED: Yes  
This material contains ethylbenzene which is classified as "possibly carcinogenic to humans" (2B) by IARC. This material contains carbon black, which is classified as a possible carcinogen for humans (2B) by IARC.

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE**

Pre-existing eye, skin and respiratory disorders may be aggravated. Skin contact may aggravate an existing dermatitis. Inhalation may aggravate asthma and inflammatory or fibrotic disease.

**EMERGENCY AND FIRST AID PROCEDURES**

**INHALATION:** MOVE PERSON TO FRESH AIR. PROVIDE ARTIFICIAL RESPIRATION OR OXYGEN IF BREATHING IS DIFFICULT. **EYE & SKIN CONTACT:** FLUSH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. WASH AFFECTED AREAS WITH SOAP AND WATER IMMEDIATELY. REMOVE CONTAMINATED CLOTHING. **INGESTION:** IF SWALLOWED, DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.

**===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====****STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**

PROVIDE VENTILATION. LARGE SPILLS MAY BE SCOOPED UP. SMALL SPILLS MAY BE PICKED UP WITH ABSORBENT MATERIALS.

**WASTE DISPOSAL METHOD**

Incinerate or dispose of in accordance with local, state and federal regulations.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING**

Store away from high temperatures, sparks and open flame. Keep containers tightly closed.

**OTHER PRECAUTIONS**

Do not take internally. Avoid prolonged contact.

**===== SECTION VIII - CONTROL MEASURES =====****RESPIRATORY PROTECTION**

Use self-contained breathing apparatus where vapor concentration may be above the TLV limits. Where vapor does not exceed TLV limits, use NIOSH approved respirator.

**VENTILATION**

Adequate volume and pattern to keep air contaminant concentration below current applicable OSHA or ACGIH's TLV limits.

**PROTECTIVE GLOVES**

Chemical resistant gloves

**EYE PROTECTION**

Chemical goggles

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT**

Eye bath and safety shower

**WORK/HYGIENIC PRACTICES**

Wash hands thoroughly before eating or using the washroom. Smoke in smoking areas only.

**===== SECTION IX - REGULATORY INFORMATION =====****CALIFORNIA PROPOSITION 65**

This product contains a chemical known to the State of California to cause cancer.

Contains: Carbon Black - Ethylbenzene -

**TRANSPORTATION**

**Proper Shipping Name: PAINT**

**Hazard Class: 3**

**Subsidiary Risk: N.A.**

**UN Number: UN1263**

**Packing Group: II**

**Marine Pollutant: N.A.**

**===== SECTION X - DISCLAIMER =====**

**The information contained herein is based on the data available to us and is believed to be correct. However, Kustom Shop Products makes no warranty expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Kustom Shop Products assumes no responsibility for injury from the use of the product described herein.**