



# SAFETY DATA SHEET

Issue Date: 01/28/19

## SECTION 1 - Identification

### 1.1. Product identifier

Dura Gold

- Gold Series Abrasives
- Discs and Sheets

### 1.2. Recommended use and restrictions on use

#### Recommended use

Abrasive Product

### 1.3. Supplier's details

**MANUFACTURER:** TCP Global

**ADDRESS:** 6695 Rasha Street, San Diego CA 92121

**Telephone:** (858) 909-2110

### 1.4. Emergency telephone number

TCP Global (858) 909-2110 | Chemtrec 1(800) 424-9300

## SECTION 2 - Hazard Identification

### 2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### 2.2. Label elements

#### Signal word

Not applicable.

#### Symbols

Not applicable.

#### Pictograms

Not applicable.

### 2.3. Hazards not otherwise classified

None.

## SECTION 3 - Composition/Information on Ingredients

| Ingredient                   | C.A.S. No. | % by Wt |
|------------------------------|------------|---------|
| Aluminum Oxide (non-fibrous) | 1344-28-1  | 10 - 45 |
| Zinc Stearate                | 557-05-1   | 5 - 8   |
| Calcium Carbonate            | 1317-65-3  | 8 - 16  |
| Paper Film Backing           | None       | 20 - 70 |
| Cured Resin                  | Mixture    | 20 - 50 |
| Velcro Backing               | Mixture    | 0 - 10  |
| PSA Backing                  | Mixture    | 0 - 5   |

## SECTION 4 - First Aid Measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If Swallowed:

No need for first aid is anticipated.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5 - Fire Fighting Measures

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

#### Substance

Carbon monoxide  
Carbon dioxide

#### Condition

During Combustion  
During Combustion

### 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

## SECTION 6 - Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Observe precautions from other sections.

### 6.2. Environmental precautions

Not applicable.

### 6.3. Methods and material for containment and cleaning up

Not applicable.

## SECTION 7 - Handling and Storage

### 7.1. Precautions for safe handling

For industrial or professional use only. Avoid breathing of dust created by sanding, grinding or machining. Combustible dust may form by action of this product on another material (substrate). Dust generated from the substrate during use of this product may be explosive if in sufficient concentration with an ignition source. Dust deposits should not be allowed to accumulate on surfaces because of the potential for secondary explosions.

### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

## SECTION 8 - Exposure Controls/Personal Protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient                   | C.A.S. No. | Agency                         | Limit type   | Additional Comments |
|------------------------------|------------|--------------------------------|--|---------------------|
| Aluminum Oxide (non-fibrous) | 1344-28-1  | OSHA                           | TWA (as total dust):15   |                     |
| Zinc Stearate                | 557-05-1   | OSHA PEL<br>ACGIH<br>NIOSH REL | TWA 15 mg/m <sup>3</sup> (Total Dust)<br>TWA 10 mg/m <sup>3</sup> (Inhalable Particles)<br>TWA 10 mg/m <sup>3</sup> (Total Dust) |                     |
| Calcium Carbonate            | 1317-65-3  | ACGIH                          | TWA 10 mg/m <sup>3</sup>   |                     |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Provide appropriate local exhaust ventilation for sanding, grinding or machining. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment. Provide local exhaust at process emission sources to control exposure near the source and to prevent the escape of dust into the work area. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

To minimize the risk of injury to face and eyes, always wear eye and face protection when working at sanding or grinding operations or when near such operations. Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

##### Skin/hand protection

Wear appropriate gloves to minimize risk of injury to skin from contact with dust or physical abrasion from grinding or sanding.

##### Respiratory protection

Assess exposure concentrations of all materials involved in the work process. Consider material being abraded when determining the appropriate respiratory protection. Select and use appropriate respirators to prevent inhalation overexposure. An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure: Half facepiece or full facepiece air-purifying respirator suitable for particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9 - Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

|   |                                     |
|---|-------------------------------------|
| General Physical Form:                  | Solid                               |
| Odor, Color, Grade:                     | Gold Colored Abrasive disc or sheet |
| Odor threshold                          | <i>Not Applicable</i>               |
| pH                                      | <i>Not Applicable</i>               |
| Melting point                           | <i>Not Applicable</i>               |
| Boiling Point                           | <i>Not Applicable</i>               |
| Flash Point                             | <i>Not Applicable</i>               |
| Evaporation rate                        | <i>Not Applicable</i>               |
| Flammability (solid, gas)               | Not Classified                      |
| Flammable Limits(LEL)                   | <i>Not Applicable</i>               |
| Flammable Limits(UEL)                   | <i>Not Applicable</i>               |
| Vapor Pressure                          | <i>Not Applicable</i>               |
| Vapor Density                           | <i>Not Applicable</i>               |
| Specific Gravity                        | <i>Not Applicable</i>               |
| Solubility In Water                     | <i>Not Applicable</i>               |
| Solubility- non-water                   | <i>Not Applicable</i>               |
| Partition coefficient: n-octanol/ water | <i>Not Applicable</i>               |
| Autoignition temperature                | <i>Not Applicable</i>               |
| Decomposition temperature               | <i>Not Applicable</i>               |
| Viscosity                               | <i>Not Applicable</i>               |
| Hazardous Air Pollutants                | <i>No Data Available</i>            |
| Molecular weight                        | <i>No Data Available</i>            |
| Percent volatile                        | <i>No Data Available</i>            |

## SECTION 10 - Stability and Reactivity

### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known.      |                  |

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11 - Toxicological Information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

**Inhalation:**

Dust from grinding, sanding or machining may cause irritation of the respiratory system. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

**Skin Contact:**

Mechanical Skin irritation: Signs/symptoms may include abrasion, redness, pain, and itching.

**Eye Contact:**

Mechanical eye irritation: Signs/symptoms may include pain, redness, tearing and corneal abrasion.

Dust created by grinding, sanding, or machining may cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

**Ingestion:**

No health effects are expected.

**Additional Information:**

This document covers only the Dura Gold product. For complete assessment, when determining the degree of hazard, the material being abraded must also be considered.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name                         | Route                          | Species | Value   |
|------------------------------|--------------------------------|---------|---|
| Overall product              | Ingestion                      |         | No data available; calculated ATE > 5,000 mg/kg |
| Aluminum Oxide (non-fibrous) | Dermal                         |         | LD50 estimated to be > 5,000 mg/kg              |
| Aluminum Oxide (non-fibrous) | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 2.3 mg/l                                 |
| Aluminum Oxide (non-fibrous) | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                              |
| Zinc Stearate                | Oral                           |         | LD50 > 10,000 mg/kg                             |

**Skin Corrosion/Irritation**

| Name                         | Species | Value                     |
|------------------------------|---------|---------------------------|
| Aluminum Oxide (non-fibrous) | Rabbit  | No significant irritation |

**Serious Eye Damage/Irritation**

| Name                         | Species | Value                     |
|------------------------------|---------|---------------------------|
| Aluminum Oxide (non-fibrous) | Rabbit  | No significant irritation |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

| Name                         | Route    | Value         |
|------------------------------|----------|---------------|
| Aluminum Oxide (non-fibrous) | In Vitro | Not mutagenic |
| Zinc Stearate                | In Vitro | Not mutagenic |

## Reproductive Toxicity

### Reproductive and/or Developmental Effects

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Target Organ(s)

### Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

## SECTION 12 - Ecological Information

### Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

### Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

## SECTION 13 - Disposal Considerations

### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. The substrate that was abraded must be considered as a factor in the disposal method for this product. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

**EPA Hazardous Waste Number (RCRA): Not regulated**


## SECTION 14 - Transport Information

Not regulated per U.S. DOT, IATA or IMO.

## SECTION 15 - Regulatory Information

### Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the product



### 311/312 Hazard Categories:

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

Immediate Hazard - No

Delayed Hazard - No

### 15.2. Chemical safety assessment

Not relevant.

## SECTION 16 - Other Information

### NFPA Hazard Classification

Health: 0

Flammability: 1

Instability: 0

Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**HMIS Hazard Classification****Health: 0****Flammability: 0****Physical Hazard: 0****Personal Protection: X - See PPE section.**

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

**Issue Date: 01/28/19**

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. TCP Global MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the TCP Global product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a TCP Global product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the TCP Global product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.